



AMAZING GRAPE

INDUSTRIAL DEGREASER

AMAZING GRAPE is a pleasantly fragranced, high-flash, low-toxicity solvent that is specifically designed to be used as a floating degreaser and in part washers. The combination of aggressive degreasing, environmental friendliness, and low toxicity makes it the solvent of choice for cleaning metal parts, dissolving grease and sludge, and deodorizing. The relative slow rate of evaporation makes **AMAZING GRAPE** economical to use and leaves a light film on metal parts to protect against rust and corrosion. It is safe on most plastics. **AMAZING GRAPE** does not mix with water.



FOR USE BY: FOR USE ON: FEATURE-BENEFIT:

Asphalt Company	Asphalt Equip.	Low In Toxicities
Automotive Shop	Blades	Safe To Use
Building Maint.	Boilers	No Chlorinated Solvents
Equipment Rental	Distributors	Flash Point Above 140°
Fleet Equipment	Exhaust Hood	No Ozone Depleters
Food Processing Plant	Fleet Maint.	Does Not Pollute Air
Hospitals	Garbage Trucks	Smells Great
Landfill	Grease Traps	Corrosion Protection
Mechanics Shop	Holding Tanks	Degreases
Parts Manufacturing	Lift Stations	
Restaurants	Parts Washers	
Road Departments	Tools	
Sanitation Dept	Tractors	
Schools		
Service Stations		

DIRECTIONS:

General Industrial Degreasing: Apply by spraying, dipping, wiping, brushing, or soaking components until clean.

Asphalt Remover: Pre-spray equipment for easier removal of asphalt. Post-spray asphalt accumulated on shovels, rakes, and equipment to remove asphalt.

Lift Stations: Pour directly into manhole or lift station pit. For best results, use sufficient quantities to assure a 1 to 3 inch float on the surface. (Example: To create a 1 inch float in a 6 foot diameter lift station pit, add 18 gallons, 8 foot-31 gallons, 10 foot-49 gallons, 12 foot-70 gallons.)

TECHNICAL DATA:

Physical Form: Thin Solvent Based Liquid
Color: Clear Water White
Odor: Pleasant Grape
Specific Gravity: 0.8
Flash Point: 143° F

CONTACT INFORMATION

OFFICE:
1-888-6PURITY (678-7489)
FAX
1-877-9PURITY (978-7489)
ADDRESS:
114 SOUTHFIELD PKWY
SUITE 120
FOREST PARK GA. 30297
www.puritychemicals.com



SECTION I – EMERGENCY CONTACT: Infotrac 800-535-5053

SECTION II –HAZARDOUS INGREDIENTS:

Component	CAS #	TLV (ppm)	% (in prod.)
Isoalkanes	68551 – 17 -7	NE	95 -98

SECTION III – HEALTH HAZARD:

Acute Effects of Overexposure:

Skin: Can be irritating upon prolonged exposure.

Eyes: Can be irritating upon contact.

Inhale: Over-exposure may cause headache, dizziness, nausea, unconsciousness

Ingest: may irritate stomach and intestines. If swallowed, may be aspirated resulting in inflammation and possible fluid accumulation in the lungs.

Existing skin diseases may be aggravated by overexposure.

Chronic Effects of Overexposure:

Some isoparaffins have produced kidney damage in male rats only. No comparable damage is known in humans.

HMIS Codes: Health 1; Flam. 1; React. 0; Pers. Protection NA; Chronic Haz. No

The components of this product are not considered contact. to be carcinogenic by NTP, IARC, or OSHA. Established PEL/TLV: not established. Primary routes of entry: NA

First aid procedures:

Skin: Wash contaminated area with soap or mild detergent. Get medical attention if irritation develops.

Eyes: Immediately flush with plenty of water for at least 15 minutes. If irritation develops consult a physician.

Inhale: In the event of over-exposure, remove to fresh air.

Ingest: If product is swallowed, do not induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Get medical attention at once.

SECTION IV – PROTECTION INFORMATION:

Protective Clothing: No special measures required.

Eye Protection: No special measures required.

Respiratory Protection: Open air or good room ventilation is normally adequate for safe use of product.

Ventilation: If vapors are detected, ventilate area by opening windows and using exhaust fans.

SECTION V – PHYSICAL DATA:

Boiling Point (F) 357 - 408

Specific Gravity: .75 - .79 pH NA

VOC content (%) 100

Evaporation Rate (Bu acetate=1) unk

vap. Pressure (mm Hg) unk

Vap. Density unk

Solubility in Water: insoluble

Appearance and Odor: clear liquid with grape fragrance

SECTION VI – FIRE AND EXPLOSION DATA:

Flash Point (F) 145

Flammable Limits: LEL: NA UEL: NA

Fire fighting procedure: In case of fire use water spray, dry chemical, or CO2. Cool closed containers exposed to fire with water.

SECTION VII – REACTIVITY DATA:

Stability: Stable

Incompatibility: None

Polymerization: Will not occur

Hazardous Decomposition: None

SECTION VIII – SPILL AND STORAGE PROCEDURES:

Steps to be taken in case material is spilled or released: Observe safety procedures described in Sections IV and IX during cleanup. Absorb spill on inert absorbent material. Pick up and place residue in a suitable waste container. Wash area thoroughly with detergent solution and rinse well with water.

Waste Disposal Method: Liquid wastes are not permitted in landfill. This product is not considered a hazardous waste under RCRA. In some areas flushing into a sanitary sewer with plenty of water may be permissible. Consult local, state, and federal agencies for proper disposal in your area.

SECTION IX – SPECIAL PRECAUTIONS:

Precautions to be taken when handling and storing:

Keep out of reach of children. Harmful if swallowed. Avoid eye contact. Avoid prolonged contact with skin. Do not use, store, pour or spill near any source of ignition. Store in a tightly closed container in dry area at temps between 40 and 110 deg F.